



Mr. Craig Larson
Wind River Petroleum
2046 East Murray Holladay Road, Suite 200
Salt Lake City, Utah 84117

RECEIVED

DEC 15 2010

**Environmental Response &
Remediation**

December 13, 2010
Project No.: 1241-026A

SUBJECT: Quarterly Groundwater Sampling Results and
Corrective Action Status Update – November 2010
C-4 Top Stop
15 South Main Street
Gunnison, Utah
UST Facility No. 2000220
Release Site EMHB

SCANNED

DERR -2010-015072

This report has been prepared pursuant to the reporting requirements set forth in the May 9, 2008, Corrective Action Plan Summary Letter prepared by Wasatch Environmental on behalf of Wind River Petroleum. This report provides a summary of the following:

- Corrective action status update,
- Groundwater depth and fluctuations,
- Results of November 2010 quarterly groundwater sampling, and
- Changes to the groundwater monitoring network.

Questions regarding this report from third parties should be submitted to Morgan Atkinson with the Utah Division of Environmental Response and Remediation (DERR), and written responses will be provided.

CORRECTIVE ACTION STATUS UPDATE

CAP addendum was submitted to DERR for public review and comment on November 15, 2010.

The building ventilation systems are all running and functioning normally. There have been no reports of petroleum vapors or odors in homes or businesses.

The East SVE system, West SVE system, and West Alley SVE system are all running and functioning normally. The Central SVE is believed to be running and functioning normally, but Wasatch has not had access to the system for maintenance since September 2010.

GROUNDWATER DEPTH AND FLUCTUATIONS

Wasatch has periodically monitored groundwater levels in wells WS-2, TW-3, MW-1, MW-5, MW-9, MW-12, MW-14, and MW-23 to track water table fluctuations (see Table 1, Appendix A). Depth-to-water graphs for eight monitoring wells (WS-2, TW-3, MW-1, MW-5, MW-9, MW-12, MW-14, and MW-23), through November 22, 2010, are presented in Appendix B. No groundwater elevation data were collected in October 2010.

During November 2010, eleven wells (WS-2, MW-5, MW-20, MW-23, MW-25, MW-26, MW-27, MW-29, MW-37, MW-39, and MW-40) all recorded their highest groundwater elevation since monitoring began for each individual monitoring well. Based on measurements collected from select monitoring wells across

the site between August 2, 2010 and September 21, 2010, groundwater elevations increased an average of 0.11 feet; and between September 21, 2010, and November 22, 2010, increased an average of another 0.36 feet.

QUARTERLY GROUNDWATER SAMPLING

Quarterly monitoring was conducted at 12 monitoring wells across the site on November 22, 2010. The locations of the monitoring wells, and the benzene concentration detected in each sample, are presented on Figure 1. No free-product was observed in any of the monitoring wells. Groundwater samples were collected from each well using a new, 1½-inch diameter, disposable, polyethylene bailer. A minimum of three bore-hole volumes of groundwater was purged from each monitoring well. Purging continued until the majority of the sediment was cleared from the purge water. Groundwater samples were then obtained and dispensed into 40-milliliter (ml) capacity glass vials with Teflon® septa caps. The vials, which were supplied by the analytical laboratory, contained several drops of hydrochloric acid (HCl) as a preservative. The vials were filled slowly until a meniscus formed at the top of each vial; then each vial was sealed with a septa cap. This procedure eliminates headspace within the vials and, therefore, minimizes the loss of volatiles. The sample vials were each labeled with the sample location and date and time of sample collection. The samples were placed in a cooler with ice and transported under chain-of-custody protocol to American West Analytical Laboratories for analysis. Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline range organics (TPH-GRO), benzene, toluene, ethylbenzene, xylenes, and naphthalene (BTEXN) using U.S. EPA Method 8260B.

A summary of current and historical groundwater analytical results is presented in Table 2 (Appendix C). The current laboratory analytical results are presented in Appendix E.

Analytical results (Appendix E) from the November 2010 groundwater monitoring event indicate that seven monitoring wells (MW-20, MW-22, MW-23, MW-26, MW-27, MW-37, and WS-2) exhibited detectable concentrations of benzene. Only four monitoring wells (MW-23, MW-26, MW-27, and WS-2) exceeded the Initial Screening Levels (ISLs) for benzene (see Appendix C, Table 2). Benzene concentrations in monitoring well MW-25 decreased to non-detectable concentrations for the first time since it was initially sampled in November 2008. The locations of monitoring wells and current benzene analytical results are presented on Figure 1.

Trend graphs plotting benzene concentrations and depth to groundwater versus time for select monitoring wells are presented in Appendix D. In the past, many of the wells exhibited an increase in benzene concentration with a rising groundwater elevation. This phenomenon suggests that when the release occurred in August 2007, groundwater elevations were relatively high, and probably rose higher after the release, and then subsequently dropped, trapping gasoline constituents in the soil above the water table. This annual rise and fall of the water table is illustrated on the historical groundwater depth graphs (Appendix B) which generally show rising levels beginning in May or June, typically peaking in October or November, and then falling to seasonal lows in April and May. The significance of the recorded highest groundwater elevations in many of the wells, accompanied by decreasing benzene concentrations indicates that trapped gasoline constituents have mobilized and been remediated.

CHANGES TO THE GROUNDWATER MONITORING NETWORK


As discussed in the CAP Addendum (November 2010), monitoring wells will be removed from the groundwater monitoring program after the wells have exhibited non-detectable analytical results, for all analytes, for four consecutive quarters (one year). Based on these criteria, monitoring well MW-39 will no longer be monitored.

The next groundwater monitoring event is scheduled for February 2011. Groundwater monitoring wells MW-5, MW-20, MW-22, MW-23, MW-25, MW-26, MW-27, MW-29, MW-37, MW-40, and WS-2 will be sampled.


Our services consist of professional opinions and recommendations made in accordance with generally accepted environmental engineering principles and practices. This warranty is in lieu of all other warranties either expressed or implied. Should you have any questions, please do not hesitate to contact us.

Sincerely,

WASATCH ENVIRONMENTAL, INC.



Michael Cronin, P.G.
Sr. Geologist and Project Manager
Utah UST Certified Consultant #CC-0232



Les Pennington, P.E.
Principal Engineer

Copies: (2) Addressee
(1) Mr. Morgan Atkinson, Utah DERR
(1) Gunnison City

Figures

Figure 1 – Site Map with Benzene Concentrations from November 2010 Quarterly Analytical Results

Appendices

Appendix A - Table 1 – Historical Depth to Groundwater

Appendix B – Historical Groundwater Depth Graphs

Appendix C – Table 2 – Historical Groundwater Chemistry

Appendix D – Benzene Concentrations and Depth to Groundwater vs Time Graphs

Appendix E – November 2010 Quarterly Monitoring – Groundwater Laboratory Analyses



Table 1
Historical Depth to Groundwater
 Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

Sample Identity	Date	Depth to Groundwater (ft)
TW-1	01/11/08	12.50
	02/26/08	12.36
	06/26/08	12.29
TW-2	01/11/08	13.22
	02/26/08	13.06
	06/26/08	12.76
TW-3	01/11/08	12.23
	02/26/08	12.32
	06/26/08	12.03
	08/22/08	10.71
	09/16/08	10.41
	10/22/08	10.44
	12/01/08	11.21
	12/09/08	11.34
	12/19/08	11.51
	12/30/08	11.67
	01/06/09	11.78
	01/20/09	11.43
	01/27/09	11.32
	02/03/09	11.22
	02/10/09	11.19
	02/17/09	11.13
	02/24/09	11.17
	03/10/09	11.75
	03/17/09	11.88
	03/27/09	12.14
	04/02/09	12.25
	04/08/09	12.34
	04/15/09	11.89
	04/28/09	12.10
	05/05/09	11.87
	05/11/09	11.84
	05/20/09	11.62
	05/27/09	11.74
	06/10/09	11.29
	06/18/09	11.03
	06/23/09	10.87

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

TW-3 (cont'd)	07/08/09	11.22
	07/21/09	11.22
	08/04/09	10.59
	08/12/09	10.55
	09/16/09	10.62
	09/30/09	10.38
	10/15/09	10.20
	11/03/09	10.27
	05/18/10	11.78
	06/30/10	9.65
	07/13/10	10.36
	08/02/10	10.29
	09/21/10	10.18
	11/22/10	9.77
TW-4	01/11/08	17.93
	06/26/08	15.95
	04/03/10	15.97
	04/14/10	15.90
	05/05/10	15.51
	05/18/10	15.34
	07/13/10	14.51
	08/02/10	14.45
TW-6	12/19/07	13.86
	06/26/08	13.46
	04/03/10	14.10
	04/14/10	14.01
	05/05/10	13.67
	05/18/10	13.55
	07/13/10	12.93
	08/02/10	12.73
WS-1	01/11/08	13.19
	02/26/08	13.59
	06/25/08	11.62
WS-2	01/11/08	12.61
	02/26/08	11.31
	06/25/08	11.23
	11/18/08	9.93
	01/14/09	11.95
	01/20/09	11.94
	01/27/09	11.92
	02/10/09	12.20
	02/24/09	12.19
	03/03/09	12.52
	03/10/09	12.48
	03/17/09	12.75
	04/08/09	13.11
	04/15/09	13.07
	05/11/09	12.41
	05/20/09	12.02
	06/10/09	11.18
	06/18/09	10.68
	06/23/09	10.56
	07/08/09	10.16
	07/21/09	9.86

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

WS-2 (cont'd)	08/04/09	9.34
	08/12/09	9.19
	09/16/09	8.77
	09/30/09	8.77
	10/15/09	8.63
	11/11/09	9.19
	12/23/09	10.85
	01/27/10	11.22
	02/22/10	11.81
	04/03/10	12.16
	04/14/10	13.54
	05/05/10	11.80
	05/18/10	11.61
	07/13/10	9.41
	08/02/10	8.99
	09/21/10	8.16
	11/22/10	7.67
WS-3	01/11/08	10.50
	02/26/08	10.17
	06/25/08	10.21
MW-1	11/27/07	11.55
	12/19/07	11.89
	01/11/08	11.98
	02/26/08	11.85
	06/26/08	11.64
	08/22/08	10.84
	09/16/08	10.92
	10/22/08	11.06
	11/24/08	11.32
	12/01/08	11.43
	12/09/08	11.51
	12/19/08	11.61
	12/30/08	11.72
	01/06/09	11.78
	01/20/09	11.76
	01/27/09	11.43
	02/03/09	11.54
	02/10/09	11.54
	02/17/09	11.52
	02/24/09	11.52
	03/10/09	11.74
	03/17/09	11.68
	03/27/09	12.01
	04/02/09	12.07
	04/08/09	12.13
	04/15/09	12.00
	04/28/09	11.97

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-1 (cont'd)	05/11/09	11.72
	05/20/09	11.61
	05/27/09	11.50
	06/10/09	10.78
	06/18/09	10.78
	06/23/09	10.71
	07/08/09	11.00
	07/21/09	11.07
	08/04/09	10.99
	08/12/09	10.94
	09/16/09	10.85
	09/30/09	10.82
	10/15/09	10.82
	11/03/09	10.71
	11/11/09	10.80
	12/23/09	11.23
	01/27/10	11.67
	02/02/10	11.78
	03/24/10	11.83
	04/03/10	11.67
	05/18/10	11.65
	06/30/10	9.66
	07/13/10	10.42
	08/02/10	10.78
	09/21/10	11.01
	11/22/10	10.65
MW-2	11/27/07	11.84
	12/19/07	12.15
	01/11/08	12.28
	02/26/08	12.09
	06/26/08	11.99
	11/18/08	11.70
	02/17/09	11.96
	05/11/09	12.15
	08/04/09	11.62
	11/11/09	11.38
	02/17/10	11.64
	02/22/10	12.16
	03/24/10	12.18
	04/03/10	12.11
	04/14/10	12.20
	05/05/10	12.13
	05/18/10	12.02
	07/13/10	11.08
	08/02/10	11.41
MW-3	11/27/07	11.28
	12/19/07	11.64
	01/11/08	11.83
	02/26/08	11.48
	06/26/08	11.40
	11/18/08	11.04

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-3 (cont'd)	02/17/09	11.26
	05/11/09	11.50
	08/04/09	10.80
	11/11/09	10.62
	02/17/10	12.16
	02/22/10	11.56
	03/24/10	11.95
	04/03/10	11.42
	04/14/10	11.67
	05/05/10	11.56
	05/18/10	11.33
	07/13/10	10.21
	08/02/10	10.62
MW-4	11/27/07	12.36
	12/19/07	12.36
	01/11/08	12.62
	02/26/08	12.15
	06/26/08	11.70
MW-5	01/11/08	15.11
	02/26/08	15.59
	06/26/08	14.77
	08/22/08	12.85
	09/16/08	12.93
	10/22/08	12.82
	10/29/08	12.85
	11/18/08	13.24
	12/01/08	13.51
	12/09/08	13.75
	12/19/08	14.10
	12/30/08	14.26
	01/06/09	14.44
	01/20/09	14.42
	01/27/09	14.38
	02/03/09	14.39
	02/10/09	14.43
	02/17/09	14.51
	02/24/09	14.73
	03/03/09	14.91
	03/10/09	15.13
	03/17/09	15.28
	03/27/09	15.49
	04/02/09	15.58
	04/08/09	15.67
	04/15/09	15.73
	04/28/09	15.67

Table 1
Historical Depth to Groundwater.
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-5 (cont'd)	05/11/09	15.35
	05/20/09	15.61
	05/27/09	14.71
	06/10/09	14.64
	06/18/09	14.33
	06/23/09	14.26
	07/08/09	13.67
	07/21/09	13.33
	08/04/09	13.05
	08/12/09	12.78
	09/16/09	12.48
	09/30/09	12.37
	10/15/09	11.85
	11/03/09	12.11
	11/11/09	12.31
	12/23/09	13.44
	02/17/10	14.15
	02/22/10	14.62
	03/24/10	14.73
	04/03/10	14.82
	04/14/10	14.78
	05/05/10	14.31
	05/18/10	13.94
	07/13/10	12.19
	08/02/10	11.89
	09/21/10	11.46
	11/22/10	11.46
MW-6	01/11/08	12.20
	02/26/08	11.74
	06/26/08	11.62
	04/02/09	12.24
MW-7	01/11/08	12.55
	02/26/08	12.07
	06/26/08	11.91
	04/02/09	12.57
MW-8	01/11/08	12.95
	02/26/08	12.44
	06/26/08	12.04
MW-9	01/11/08	15.05
	02/26/08	14.54
	06/26/08	14.37
	11/18/08	13.61
	01/09/09	14.67
	01/27/09	14.11
	02/03/09	14.28
	02/17/09	14.20
	02/24/09	14.23

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-9 (cont'd)	03/03/09	14.20
	03/10/09	14.13
	03/17/09	14.07
	03/27/09	14.88
	04/02/09	15.02
	04/08/09	15.10
	04/15/09	14.98
	04/28/09	14.87
	05/11/09	14.84
	05/20/09	14.36
	05/27/09	13.74
	06/10/09	13.24
	06/18/09	12.57
	06/23/09	12.66
	07/08/09	13.09
	07/21/09	13.29
	08/04/09	13.34
	08/12/09	13.29
	09/16/09	13.13
	09/30/09	12.90
	10/15/09	13.39
	11/11/09	12.92
	12/23/09	13.91
	02/22/10	14.51
	03/24/10	14.65
	05/18/10	14.03
	06/30/10	11.02
	07/13/10	12.27
	08/02/10	12.93
	09/21/10	13.67
	11/22/10	13.13
MW-11	01/11/08	10.08
	02/26/08	10.52
	06/26/08	10.35
	10/22/08	9.42
MW-12	01/11/08	10.60
	02/26/08	8.92
	06/26/08	8.72
	02/17/09	7.98
	02/24/09	8.00
	03/10/09	8.45
	03/17/09	8.58
	03/27/09	8.75
	04/02/09	8.86
	04/08/09	8.92
	04/15/09	8.40
	05/05/09	8.26
	05/11/09	8.46

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-12 (cont'd)	05/20/09	8.21
	05/27/09	8.41
	06/10/09	7.75
	06/18/09	7.68
	06/23/09	7.56
	07/08/09	7.96
	07/21/09	7.90
	08/04/09	7.33
	08/12/09	7.26
	09/16/09	7.58
	09/30/09	7.30
	10/15/09	7.13
	11/03/09	7.24
	05/18/10	8.43
	06/30/10	6.59
	07/13/10	7.35
	08/02/10	7.38
	09/21/10	7.28
	11/22/10	6.90
MW-13	01/11/08	9.94
	02/26/08	8.98
	06/26/08	9.83
MW-14	01/11/08	12.34
	02/26/08	12.23
	06/26/08	12.07
	11/18/08	11.15
	12/01/08	11.31
	12/09/08	11.43
	01/27/09	11.41
	02/03/09	11.41
	02/10/09	11.40
	02/17/09	11.38
	02/24/09	11.39
	03/10/09	11.86
	03/17/09	11.98
	03/27/09	12.31
	04/02/09	12.43
	04/08/09	12.52
	04/15/09	12.16
	04/28/09	12.23
	05/05/09	11.81
	05/11/09	11.96
	05/20/09	11.76
	05/27/09	11.82
	06/10/09	11.25
	06/18/09	11.07
	06/23/09	10.91

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-14 (cont'd)	07/08/09	11.27
	07/21/09	11.27
	08/04/09	10.90
	08/12/09	10.86
	09/16/09	10.87
	09/30/09	10.41
	10/15/09	10.58
	11/03/09	10.59
	05/18/10	11.87
	06/30/10	9.87
	07/13/10	10.56
	08/02/10	10.71
	09/21/10	10.68
	11/22/10	10.20
MW-15	02/26/08	12.51
MW-17	02/26/08	14.56
	11/18/08	13.19
	02/17/09	14.17
	05/11/09	14.46
	07/21/09	13.20
	08/04/09	13.30
	11/11/09	12.67
	02/22/10	14.41
	05/18/10	14.15
	08/02/10	12.78
MW-18	02/26/08	18.48
MW-19	10/22/08	14.78
	11/18/08	14.99
	02/17/09	14.67
	05/11/09	16.39
	08/04/09	15.02
	11/11/09	14.54
	02/22/10	16.04
	05/18/10	15.77
	08/02/10	14.59
MW-20	10/22/08	15.40
	11/18/08	15.68
	02/17/09	15.86
	05/11/09	16.98
	08/04/09	15.72
	11/11/09	15.11
	02/22/10	16.81
	04/03/10	16.87
	04/14/10	16.85
	05/05/10	16.77
	05/18/10	16.55
	07/13/10	15.03
	08/02/10	14.82
	11/22/10	14.45
MW-21	10/22/08	10.05
	11/18/08	10.17
	02/17/09	11.00
	05/11/09	11.52
	08/04/09	9.82

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-21 (cont'd)	11/11/09	9.52
	02/22/10	10.65
	05/18/10	10.30
	08/02/10	9.00
MW-22	10/22/08	12.70
	11/18/08	10.18
	11/24/08	10.28
	02/17/09	13.20
	05/11/09	10.47
	08/04/09	10.05
	11/11/09	9.35
	02/22/10	11.28
	03/24/10	11.20
	04/03/10	11.26
	04/14/10	11.22
	05/05/10	10.59
	05/18/10	10.30
	07/13/10	9.08
	08/02/10	8.88
	11/22/10	8.91
MW-23	10/22/08	8.61
	11/18/08	12.93
	11/24/08	13.03
	12/09/08	13.30
	02/17/09	13.28
	03/27/09	14.12
	04/08/09	14.28
	04/15/09	14.33
	04/28/09	14.37
	05/11/09	14.29
	05/20/09	14.19
	05/27/09	14.08
	06/10/09	13.94
	06/18/09	13.81
	06/23/09	13.76
	07/08/09	13.56
	07/21/09	13.39
	08/04/09	13.10
	08/12/09	13.02
	09/16/09	12.65
	09/30/09	12.55
	10/15/09	12.33
	11/03/09	12.29
	11/11/09	12.40
	12/23/09	13.01
	01/27/10	13.66
	02/22/10	13.84
	03/24/10	13.89

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB


MW-23 (cont'd)	04/03/10	13.92
	04/14/10	13.90
	05/05/10	13.39
	05/18/10	13.24
	07/13/10	12.75
	08/02/10	12.50
	09/21/10	12.17
	11/22/10	11.98
MW-24	10/22/08	9.99
	11/18/08	8.78
	11/24/08	8.88
	02/17/09	9.96
	05/11/09	11.88
	08/04/09	8.60
	11/11/09	8.07
	02/22/10	9.77
	05/18/10	9.00
	08/02/10	7.58
MW-25	10/22/08	14.24
	11/18/08	14.48
	02/17/09	15.16
	05/11/09	16.04
	08/04/09	14.29
	11/11/09	14.01
	02/22/10	15.53
	05/18/10	15.15
	08/02/10	13.81
	11/22/10	13.62
MW-26	10/22/08	12.61
	11/18/08	13.18
	02/17/09	13.94
	05/11/09	14.82
	08/04/09	13.00
	11/11/09	12.50
	02/22/10	14.30
	03/24/10	14.41
	04/03/10	14.46
	04/14/10	14.45
	05/05/10	13.94
	05/18/10	13.77
	07/13/10	12.54
	08/02/10	12.33
	11/22/10	12.02

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB

MW-27	10/22/08	12.42
	11/18/08	12.74
	02/17/09	13.65
	05/11/09	14.43
	08/04/09	12.52
	11/11/09	11.95
	02/22/10	13.87
	03/24/10	13.97
	04/03/10	14.01
	04/14/10	13.97
	05/05/10	13.44
	05/18/10	13.26
	07/13/10	11.86
	08/02/10	11.67
	11/22/10	11.35
MW-28	10/22/08	13.41
	11/18/08	13.76
	02/17/09	13.47
	05/11/09	15.57
	08/04/09	13.93
	11/11/09	12.93
	02/22/10	14.98
	05/18/10	14.66
	08/02/10	13.17
MW-29	10/22/08	13.75
	11/18/08	13.99
	02/17/09	14.07
	05/11/09	15.27
	08/04/09	13.75
	05/18/10	14.99
	07/13/10	13.20
	08/02/10	13.03
	11/22/10	12.52
MW-30	10/22/08	10.97
	11/18/08	11.08
	02/17/09	11.31
	05/11/09	11.51
	08/04/09	10.74
	11/11/09	10.63
	02/22/10	11.54
	05/18/10	11.42
	08/02/10	10.61
MW-31	10/22/08	10.94
	11/18/08	11.15
	02/17/09	12.33
	05/11/09	13.02
	08/04/09	11.04
	11/11/09	10.29
	02/22/10	12.14
	05/18/10	11.34
	08/02/10	9.77
MW-32	05/11/09	9.25
	08/04/09	8.87
	11/11/09	8.75
	02/22/10	9.08
	05/18/10	8.80
	08/02/10	8.53
MW-33	05/11/09	14.95
	06/10/09	14.62
	08/04/09	14.92
	11/11/09	15.42
	02/22/10	15.38
	05/18/10	15.04
	08/02/10	14.21
MW-34	05/11/09	17.93
	08/04/09	14.51
	11/11/09	14.05
	02/22/10	17.31
	05/18/10	16.89
	08/02/10	14.07

Table 1
Historical Depth to Groundwater
Updated on 11/23/2010
Gunnison Remediation
15 South Main Street
Gunnison, Utah
Facility ID 2000220, Release ID EMHB


MW-35	05/11/09	15.73
	08/04/09	13.86
	11/11/09	13.14
	02/22/10	15.24
	05/18/10	14.93
	08/02/10	13.23
MW-36	05/11/09	11.76
	08/04/09	9.37
	11/11/09	9.02
	02/22/10	11.09
	04/03/10	11.18
	04/14/10	10.98
	05/05/10	10.24
	05/18/10	10.08
	07/13/10	8.48
	08/02/10	8.72
MW-37	05/11/09	16.64
	08/04/09	14.45
	11/11/09	14.02
	01/27/10	15.15
	02/22/10	15.38
	02/22/10	15.38
	03/24/10	15.44
	04/03/10	15.41
	04/14/10	15.45
	05/05/10	15.32
	05/18/10	15.15
	07/13/10	13.69
	08/02/10	13.70
	11/22/10	13.56
MW-38	11/11/09	15.91
	02/22/10	17.31
	05/18/10	17.05
	08/02/10	15.50
MW-39	11/11/09	15.59
	02/22/10	16.91
	05/18/10	16.63
	08/02/10	15.30
	11/22/10	15.12
MW-40	11/11/09	15.57
	02/22/10	16.71
	05/18/10	16.47
	08/02/10	15.33
	11/22/10	15.17




MW-5 - Groundwater Depths





MW-9 - Groundwater Depths




MW-12 - Groundwater Depths







TW-3 - Groundwater Depths



WS-2 - Groundwater Depths




Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzene (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
<i>Initial Screening Levels</i>		1	1	0.005	1	0.7	10	0.7	
MW-1	11/27/07	7.8	0.032	2.8	0.85	0.02	3.8	0.048	11.55
	1/11/08	4.6	<0.020	1.3	0.4	<0.020	1.6	0.051	11.98
	6/26/08	0.082	<0.020	0.029	0.003	<0.002	<0.002	0.039	11.64
MW-2	11/27/07	5.9	0.022	2.4	0.96	0.027	2.3	0.037	11.84
	6/26/08	0.46	0.025	0.13	0.0031	0.0028	0.063	0.054	11.99
	11/19/08	0.052	<0.020	0.01	<0.0020	<0.0020	<0.0020	0.0079	11.70
	2/18/09	0.47	<0.020	0.0047	<0.0020	<0.0020	<0.0020	0.0048	11.96
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.41
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.62
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	11.38
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.16
	5/20/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.02
	8/3/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	11.41
MW-3	11/27/07	9.7	0.041	2.6	2.5	0.2	3.9	0.071	11.28
	6/26/08	0.23	0.067	0.012	0.002	<0.002	0.015	0.065	11.40
	11/19/08	<0.020	<0.020	0.001	<0.0020	<0.0020	<0.020	0.0048	11.04
	2/18/09	0.027	<0.020	<0.010	<0.020	<0.020	<0.020	<0.020	11.26
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.50
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.80
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	10.62
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.56
MW-4	11/27/07	<0.020	<0.020	<0.002	<0.020	<0.020	<0.002	<0.002	12.36
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	11.70
MW-5	11/27/07	6.3	0.036	4	0.62	0.057	1.0	0.089	NM
	1/11/08	8.2	0.021	4.1	0.88	0.11	0.49	0.15	15.11
	6/26/08	0.73	0.099	0.043	<0.002	0.071	0.023	0.11	14.77
	11/19/08	1	0.260	0.0097	0.0026	0.19	0.0027	0.017	13.24
	2/18/09	4.8	0.130	0.0025	<0.0020	0.2	<0.0020	<0.0020	14.51

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzenes (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-5 (continued)	5/12/09	0.084	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	15.35
	8/6/09	0.086	---	0.001	<0.0020	<0.0020	0.0075	<0.0020	13.05
	11/11/09	<0.020	---	<0.0020	<0.0020	0.0032	<0.0020	<0.0020	12.31
	2/23/10	0.036	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.62
	5/20/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.94
	8/3/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	11.89
	11/22/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	11.46
MW-6	6/26/08	0.035	<0.020	<0.002	<0.002	<0.002	0.0034	0.0026	11.62
MW-7	1/11/08	3.9	<0.020	1.4	0.32	<0.020	1.5	<0.020	12.55
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	11.91
MW-8	1/11/08	4.7	0.020	0.9	0.21	<0.0020	1.8	0.081	12.95
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	12.04
MW-9	1/11/08	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	15.05
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	14.37
	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.61
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.20
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.84
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.34
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	12.92
MW-10		---	---	---	---	---	---	---	Dry
MW-11	1/11/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.08
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	10.35
MW-12	1/11/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.60
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	8.72
MW-13	1/11/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.94
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	9.83

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzene (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-14	1/11/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.34
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	12.07
	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.15
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.38
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.96
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.90
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.87
	8/3/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	10.71
MW-15	2/27/08	1.1	<0.020	0.49	0.039	<0.0020	0.45	0.0043	12.51
	6/26/08*	---	---	---	---	---	---	---	---
MW-16	—	---	---	---	---	---	---	---	Dry
MW-17	2/27/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.56
	6/26/08	0.22	<0.020	0.089	<0.002	<0.002	0.024	0.0056	NM
	11/18/08	0.56	<0.020	0.28	0.0023	<0.0020	0.0034	0.0082	13.19
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.17
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.46
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.30
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	12.67
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.41
MW-18	6/26/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	NM
MW-19	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.99
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.67
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	16.39
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	15.02
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	14.54
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	16.04

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzenes (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-20	11/18/08	4.1	0.130	2.7	0.014	0.21	0.6	0.18	15.68
	2/19/09	14	0.170	2.6	0.068	0.6	0.72	0.16	15.86
	5/13/09	3	0.084	1.4	0.026	0.25	0.056	0.18	16.98
	8/5/09	2.7	---	1.3	0.037	0.33	0.035	0.2	15.72
	11/11/09	5.3	---	1.3	0.028	0.3	0.027	0.22	15.11
	2/23/10	1.6	---	0.67	0.015	0.19	0.0066	0.053	16.81
	5/20/10	1.3	---	0.39	0.0089	0.076	0.0065	0.032	16.55
	8/3/10	0.848	---	0.277	0.0093	0.050	0.0063	0.026	14.82
	11/22/10	0.590	---	0.00469	<0.00200	<0.00200	0.00244	<0.00200	14.45
MW-21	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.17
	2/19/09	<0.020	<0.020	<0.0010	0.0025	<0.0020	<0.0020	<0.0020	11.00
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.52
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.82
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	9.52
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.85
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.30
	8/3/10	<0.0200	---	<0.0100	<0.00200	<0.00200	<0.00200	<0.00200	9.00
MW-22	11/18/08	1.2	0.044	0.42	0.013	<0.0020	0.0034	0.11	10.18
	2/19/09	2.3	0.034	0.21	0.0069	0.003	0.004	0.0094	13.20
	5/13/09	0.42	<0.020	0.24	0.0035	<0.0020	<0.0020	<0.0020	10.47
	8/5/09	0.32	---	0.19	0.003	0.0035	<0.0020	0.0089	10.05
	11/11/09	1.7	---	0.44	0.0074	0.0027	0.0024	0.027	9.35
	2/23/10	0.22	---	0.11	0.0027	0.018	<0.0020	0.0020	11.28
	5/20/10	0.58	---	0.22	0.023	0.013	0.16	0.0089	10.30
	8/3/10	0.287	---	0.0777	<0.00200	0.00212	<0.00200	<0.00200	8.88
	11/22/10	0.111	---	0.00125	<0.00200	<0.00200	0.00215	<0.00200	8.91

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzene (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-23	11/18/08	11	<1.0	1.2	0.4	0.9	2.1	0.22	12.93
	2/19/09	16	<0.40	1.3	0.091	1.6	2.9	0.49	13.28
	5/12/09	2.7	<0.20	0.47	0.046	0.72	0.78	0.063	14.29
	8/5/09	2.8	---	0.57	0.025	0.81	0.7	0.22	13.10
	11/11/09	2.5	---	0.2	0.0094	0.4	0.31	0.21	12.40
	2/23/10	1.7	---	0.090	0.0021	0.39	0.40	0.17	13.84
	5/20/10	0.73	---	0.065	0.0050	0.25	0.029	0.11	13.24
	8/3/10	0.998	---	0.0576	0.00563	0.201	0.0322	0.158	12.50
	11/22/10	1.69	---	0.0180	0.00284	0.499	0.00544	0.228	11.98
MW-24	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	8.78
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.96
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.88
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	8.60
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	8.07
	2/23/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.77
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.00
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	7.58
MW-25	11/18/08	2	0.380	0.42	0.021	0.24	0.29	0.17	14.48
	2/19/09	13	0.220	0.19	0.012	0.28	0.25	0.12	15.16
	5/12/09	0.61	0.028	0.031	<0.0020	0.033	0.0052	0.044	16.04
	8/5/09	0.61	---	0.029	0.0022	0.055	0.0054	0.059	14.29
	11/11/09	0.5	---	0.0052	<0.0020	0.0094	<0.0020	0.0086	14.01
	2/23/10	0.45	---	0.0024	<0.0020	0.036	<0.0020	0.033	15.53
	5/19/10	0.32	---	0.0023	<0.0020	0.0023	<0.0020	0.0078	15.15
	8/3/10	0.240	---	0.00200	<0.00200	<0.00200	<0.00200	<0.00200	13.81
	11/22/10	0.0561	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	13.62

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzene (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-26	11/18/08	4.9	<0.40	1.1	0.044	0.19	0.27	0.061	13.18
	2/19/09	9.9	0.570	1.2	0.064	0.71	1	0.62	13.94
	5/12/09	1.9	0.130	0.38	0.015	0.2	0.087	0.076	14.82
	8/5/09	0.7	---	0.21	0.008	0.059	0.021	0.086	13.00
	11/11/09	2.3	---	0.24	0.15	0.15	0.14	0.092	12.50
	2/24/10	1.3	---	0.10	0.0066	0.23	0.17	0.12	14.30
	5/20/10	0.65	---	0.047	0.0063	0.053	0.037	0.029	13.77
	8/3/10	0.924	---	0.322	0.0125	0.0207	0.0227	0.0236	12.33
	11/22/10	1.21	---	0.0906	0.00324	0.117	0.00849	0.00532	12.02
MW-27	11/18/08	94	<2.0	26	36	2.9	16	0.26	12.74
	2/19/09	100	<4.0	35	41	3.2	21	<0.40	13.65
	5/12/09	44	<0.40	13	18	1.0	7.8	0.2	14.43
	8/5/09	51	---	13	24	1.8	10	0.3	12.52
	11/11/09	120	---	22	54	4.1	34	0.57	11.95
	2/24/10	41	---	9.0	19	1.5	9.0	0.27	13.87
	5/20/10	43	---	9.0	20	1.4	9.7	0.23	13.26
	8/3/10	64.9	---	7.29	36.5	2.59	16.2	0.265	11.67
	11/22/10	50.9	---	2.87	25.9	2.54	16.0	0.490	11.35
MW-28	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.76
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.47
	5/12/09	<0.020	<0.020	0.0036	<0.0020	<0.0020	<0.0020	<0.0020	15.57
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.93
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	12.93
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.98
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.66
	8/3/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	13.17
MW-29	11/18/08	20	<0.20	0.1	<0.020	0.56	2.7	0.28	13.99
	2/19/09	1.1	0.410	0.022	<0.020	0.24	0.55	0.22	14.07
	5/13/09	2.1	0.220	<0.010	<0.020	0.076	0.13	0.094	15.27
	8/6/09	1.2	---	<0.0010	<0.0020	0.025	0.014	0.057	13.75
	5/19/10	1.1	---	<0.0010	<0.0020	0.0054	<0.0020	0.011	14.99
	8/4/10	0.566	---	<0.00100	<0.00200	<0.00200	<0.00200	0.00242	13.03
	11/22/10	0.499	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	12.52

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzenes (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-30	11/18/08	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.08
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.002	<0.0020	11.31
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.51
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.74
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	10.63
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.54
MW-31	11/18/08	<0.020	<0.020	<0.0010	<0.0020	0.0027	0.0056	0.0034	11.15
	2/19/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.33
	5/13/09	<0.020	<0.020	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.02
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.04
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	10.29
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	12.14
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.34
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	9.77
MW-32	5/13/09	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	9.25
	8/6/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	8.87
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	8.75
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.08
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	8.80
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	8.53
MW-33	5/13/09	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	14.95
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.92
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	15.42
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	15.38
MW-34	5/13/09	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	17.93
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.51
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	14.05
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	17.31
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	16.89
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	14.07

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identity	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzenes (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
MW-35	5/12/09	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	15.73
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	13.86
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	13.14
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	15.24
	5/19/10	<0.0020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	14.93
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	13.23
MW-36	5/13/09	0.047	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	11.76
	8/5/09	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	9.37
	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	9.02
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.09
	5/20/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	10.08
	8/3/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	8.72
MW-37	5/13/09	2.3	0.064	0.67	0.011	0.13	0.0027	0.11	16.64
	8/5/09	1.2	---	0.46	0.0086	<0.0020	<0.0020	0.027	14.45
	11/11/09	1.3	---	0.078	<0.0020	0.0021	0.0043	<0.0020	14.02
	2/24/10	0.55	---	0.085	0.0034	0.0071	<0.0020	<0.0020	15.38
	5/20/10	0.19	---	0.0033	<0.0020	<0.0020	<0.0020	<0.0020	15.15
	8/4/10	0.0899	---	0.00384	<0.00200	<0.00200	<0.00200	<0.00200	13.70
	11/22/10	0.0374	---	0.00157	<0.00200	<0.00200	<0.00200	<0.00200	13.56
MW-38	11/11/09	<0.020	---	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	15.91
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	17.31
MW-39	11/11/09	<0.020	---	0.0021	<0.0020	<0.0020	0.003	<0.0020	15.59
	2/24/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	16.91
	5/19/10	<0.020	---	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	16.63
	8/4/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	15.30
	11/22/10	<0.0200	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	15.12
MW-40	11/11/09	0.69	---	0.026	<0.0020	<0.0020	0.0041	<0.0020	15.57
	2/24/10	0.29	---	0.022	<0.0020	0.0021	<0.0020	<0.0020	16.71
	5/19/10	0.12	---	0.0017	<0.0020	<0.0020	<0.0020	<0.0020	16.47
	8/4/10	0.0378	---	<0.00100	<0.00200	<0.00200	<0.00200	<0.00200	15.33
	11/22/10	0.0478	---	0.00104	<0.00200	<0.00200	<0.00200	<0.00200	15.17
TW-1	11/27/07	8.6	0.041	3	0.96	0.0046	3.9	0.097	16.24
	1/4/08	5.8	<0.020	1.2	0.50	<0.0020	2.4	0.11	NM
	6/26/08	0.081	<0.020	0.0071	<0.002	<0.002	0.027	0.01	12.29

Table 2
Historical Groundwater Chemistry
Gunnison Remediation
15 South Main Street
Gunnison, Utah

Sample Identify	Date	TPH-GRO (mg/L) C6-C10	TPH-DRO (mg/L) C11-C15	Benzene (mg/L)	Toluene (mg/L)	Ethyl-Benzenes (mg/L)	Xylenes (mg/L)	Naphthalene (mg/L)	Depth to Groundwater (ft)
TW-2	6/26/08	0.92	0.092	0.038	0.0068	<0.002	0.44	0.056	12.76
TW-3	11/27/07	1.6	<0.020	0.42	0.16	<0.020	0.62	0.032	NM
	1/4/08	0.56	<0.020	0.059	0.0093	<0.002	0.25	0.019	NM
	6/26/08	<0.020	<0.020	<0.002	<0.002	<0.002	<0.002	<0.002	12.03
TW-4	1/11/08	27	0.110	6	3.8	0.6	6.4	0.26	17.93
	6/26/08	50	0.930	4.3	11	3.3	27	1.3	15.95
TW-6	6/26/08	27	0.930	0.6	2.9	1.7	18	1.1	13.46
WS-1	8/14/07	0.12	NS	0.018	0.0071	<0.0020	0.0022	<0.0020	NM
	12/13/07	19	0.200	2.4	2.2	0.6	3.7	0.17	NM
	1/11/08	37	<0.200	5.7	3.2	1.1	5.6	0.23	13.19
	6/25/08	12	<0.020	2.2	3.6	0.32	4.9	0.12	11.62
WS-2	8/14/07	<0.020	NS	0	<0.0020	<0.0020	<0.0020	<0.0020	NM
	12/13/07	7	0.025	2.1	1.9	0.14	0.96	0.02	NM
	1/11/08	0.088	<0.020	0.058	0.011	0.012	0.043	0.0021	12.61
	6/25/08	7.4	<0.020	3.8	0.41	0.23	2.5	<0.02	11.23
	11/19/08	3.1	0.082	0.39	0.21	0.11	0.32	0.063	9.93
	2/19/09	12	0.073	0.82	0.58	0.19	0.85	0.077	12.19
	5/12/09	18	<.40	2.4	3.3	1.5	7	0.97	12.41
	8/6/09	<0.020	--	<0.0010	<0.0020	<0.0020	0.0024	<0.0020	9.34
	11/11/09	13	--	1.9	1.5	0.81	3	0.2	9.19
	2/23/10	<0.020	--	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020	11.81
	5/20/10	3.4	--	0.66	0.52	0.20	1.3	0.091	11.61
WS-3	8/3/10	3.03	--	0.386	0.478	0.232	0.999	0.0876	8.99
	11/22/10	0.243	--	0.0164	0.0153	0.00831	0.0366	0.00254	7.67
	12/13/07	6.9	0.500	0.12	<0.020	0.28	<0.020	0.1	NM
	1/11/08	9.2	<0.020	0.22	<0.020	0.38	0.049	0.084	10.50
INITIAL SCREENING LEVEL		1	1	0.005	1	0.7	10	0.7	

TPH (GRO) = Total Petroleum Hydrocarbons (Gasoline Range C6 to C10)

TPH (DRO) = Total Petroleum Hydrocarbons (Diesel Range C11 to C1S)

< = Concentrations less than the given instrument detection level

SHADED = Measured concentration exceeds Utah Initial Screening Level


* Note: MW-15 could not be located

* Note: MW-10 was dry


NS - Not Sampled

NM - Not Measured


MW-5 Benzene Concentration and Depth to Groundwater vs Time




MW-20 Benzene Concentration and Depth to Groundwater vs Time




MW-22 Benzene Concentration and Depth to Groundwater vs Time





MW-23 Benzene Concentration and Depth to Groundwater vs Time







MW-26 Benzene Concentration and Depth to Groundwater vs Time





MW-29 Benzene Concentration and Depth to Groundwater vs Time






MW-39 Benzene Concentration and Depth to Groundwater vs Time



MW-40 Benzene Concentration and Depth to Groundwater vs Time



WS-2 Benzene Concentration and Depth to Groundwater vs Time



A

Les Pennington
Wasatch Environmental
**AMERICAN
WEST
ANALYTICAL
LABORATORIES**
2410 West California Avenue
Salt Lake City, UT 84104
TEL: (801) 972-8400

RE: Gunnison Remediation / 1241-026A

Dear Les Pennington:

Lab Set ID: 1011451

463 West 3600 South
Salt Lake City, Utah
84115

American West Analytical Laboratories received 12 sample(s) on 11/23/2010 for the analyses presented in the following report.

All analyses were performed in accordance to The NELAC Institute protocols unless noted otherwise. American West Analytical Laboratories is certified by The NELAC Institute in Utah and Texas; and is state certified in Colorado and Idaho. Certification document is available upon request. If you have any questions or concerns regarding this report please feel free to call.

The abbreviation "Surr" found in organic reports indicates a surrogate compound that is intentionally added by the laboratory to determine sample injection, extraction, and/or purging efficiency. The "Reporting Limit" found on the report is equivalent to the practical quantitation limit (PQL). This is the minimum concentration that can be reported by the method referenced and the sample matrix. The reporting limit must not be confused with any regulatory limit. Analytical results are reported to three significant figures for quality control and calculation purposes.

Thank You,

Approved by: 
Laboratory Director or designee

Report Date: 12/2/2010 Page 1 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-001A
Client Sample ID: MW-5
Collection Date: 11/22/2010 1610h Analyzed: 11/27/2010 1842h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	< 0.00100	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	< 0.0200	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	113	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	106	
Surr: Dibromofluoromethane	1868-53-7	80-124	104	
Surr: Toluene-d8	2037-26-5	80-125	98.1	

Jose Rocha
QA Officer

A

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

ORGANIC ANALYTICAL REPORT

Client: Wasatch Environmental Contact: Les Pennington

Project: Gunnison Remediation / 1241-026A

Lab Sample ID: 1011451-002A

Client Sample ID: MW-20

Collection Date: 11/22/2010 1349h

Analyzed: 11/27/2010 1901h

Received Date: 11/23/2010 0917h

Method Used: SW8260C

Analytical Results

VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.00469	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	0.00244	
TPH C6-C10 (GRO)		0.0200	0.590	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	111	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	96.9	
Surr: Dibromofluoromethane	1868-53-7	80-124	105	
Surr: Toluene-d8	2037-26-5	80-125	95.9	

Jose Rocha
QA Officer



AMERICAN
WEST
ANALYTICAL
LABORATORIES

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687
e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

ORGANIC ANALYTICAL REPORT

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-003A
Client Sample ID: MW-22
Collection Date: 11/22/2010 1445h Analyzed: 11/23/2010 1402h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.00125	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	0.00215	
TPH C6-C10 (GRO)		0.0200	0.111	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	111	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	100	
Surr: Dibromofluoromethane	1868-53-7	80-124	97.6	
Surr: Toluene-d8	2037-26-5	80-125	94.8	

Jose Rocha
QA Officer

A

ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
 Project: Gunnison Remediation / 1241-026A
 Lab Sample ID: 1011451-004A
 Client Sample ID: MW-23
 Collection Date: 11/22/2010 1506h Analyzed: 11/23/2010 1421h
 Received Date: 11/23/2010 0917h
 Method Used: SW8260C

Analytical Results

VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Units: mg/L	CAS Number	Reporting Limit	Analytical Result	Qual
Dilution Factor: 1				
Compound				
Benzene	71-43-2	0.00100	0.0180	
Ethylbenzene	100-41-4	0.0200	0.499	D
Naphthalene	91-20-3	0.0200	0.228	D
Toluene	108-88-3	0.00200	0.00284	
Xylenes, Total	1330-20-7	0.00200	0.00544	
TPH C6-C10 (GRO)		0.0200	1.69	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	112	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	93.8	
Surr: Dibromofluoromethane	1868-53-7	80-124	93.7	
Surr: Toluene-d8	2037-26-5	80-125	99.5	

D - This analyte was obtained from a 1:10 dilution.

Jose Rocha
QA Officer

Report Date: 12/2/2010 Page 5 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

A

ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-005A
Client Sample ID: MW-25
Collection Date: 11/22/2010 1524h Analyzed: 11/27/2010 1920h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	< 0.00100	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	0.0561	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	110	
Surr: 4-Bromofluprobenzene	460-00-4	80-123	104	
Surr: Dibromofluoromethane	1868-53-7	80-124	103	
Surr: Toluene-d8	2037-26-5	80-125	98.6	

Jose Rocha
QA Officer

Report Date: 12/2/2010 Page 6 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



AMERICAN
WEST
ANALYTICAL
LABORATORIES

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

ORGANIC ANALYTICAL REPORT

Client: Wasatch Environmental Contact: Les Pennington

Project: Gunnison Remediation / 1241-026A

Lab Sample ID: 1011451-006A

Client Sample ID: MW-26

Collection Date: 11/22/2010 1535h

Analyzed: 11/23/2010 1459h

Received Date: 11/23/2010 0917h

Method Used: SW8260C

Analytical Results

VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.0906	
Ethylbenzene	100-41-4	0.00200	0.117	
Naphthalene	91-20-3	0.00200	0.00532	
Toluene	108-88-3	0.00200	0.00324	
Xylenes, Total	1330-20-7	0.00200	0.00849	
TPH C6-C10 (GRO)		0.0200	1.21	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	108	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	95.4	
Surr: Dibromofluoromethane	1868-53-7	80-124	93.7	
Surr: Toluene-d8	2037-26-5	80-125	93.8	

Jose Rocha
QA Officer

Report Date: 12/2/2010 Page 7 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-007A
Client Sample ID: MW-27
Collection Date: 11/22/2010 1545h Analyzed: 11/23/2010 1556h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.0200	2.87	D
Ethylbenzene	100-41-4	0.0400	2.54	D
Naphthalene	91-20-3	0.0400	0.490	D
Toluene	108-88-3	1.00	25.9	I
Xylenes, Total	1330-20-7	0.200	16.0	S
TPH C6-C10 (GRO)		0.0200	50.9	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	117	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	89.2	
Surr: Dibromofluoromethane	1868-53-7	80-124	86.9	
Surr: Toluene-d8	2037-26-5	80-125	89.3	

I - This analyte was obtained from a 1:500 dilution.

D - This analyte was obtained from a 1:20 dilution.

S - One or more constituents of this analyte were obtained from 1:20 and 1:100 dilutions.



ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-008A
Client Sample ID: MW-29
Collection Date: 11/22/2010 1408h Analyzed: 11/23/2010 1518h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	< 0.00100	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	0.499	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	109	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	99.2	
Surr: Dibromofluoromethane	1868-53-7	80-124	97.2	
Surr: Toluene-d8	2037-26-5	80-125	96.4	

Jose Rocha
QA Officer



AMERICAN
WEST
ANALYTICAL
LABORATORIES

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

ORGANIC ANALYTICAL REPORT

Client: Wasatch Environmental Contact: Les Pennington

Project: Gunnison Remediation / 1241-026A

Lab Sample ID: 1011451-009A

Client Sample ID: MW-37

Collection Date: 11/22/2010 1255h

Analyzed: 11/23/2010 1537h

Received Date: 11/23/2010 0917h

Method Used: SW8260C

Analytical Results

VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.00157	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	0.0374	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	109	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	100	
Surr: Dibromofluoromethane	1868-53-7	80-124	98.5	
Surr: Toluene-d8	2037-26-5	80-125	97.2	

Jose Rocha
QA Officer

A

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

ORGANIC ANALYTICAL REPORT

Client: Wasatch Environmental Contact: Les Pennington

Project: Gunnison Remediation / 1241-026A

Lab Sample ID: 1011451-010A

Client Sample ID: MW-39

Collection Date: 11/22/2010 1334h

Analyzed: 11/24/2010 2221h

Received Date: 11/23/2010 0917h

Method Used: SW8260C

Analytical Results

VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Units: mg/L	CAS Number	Reporting Limit	Analytical Result	Qual
Dilution Factor: 1				
Compound				
Benzene	71-43-2	0.00100	< 0.00100	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	< 0.0200	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	109	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	106	
Surr: Dibromofluoromethane	1868-53-7	80-124	102	
Surr: Toluene-d8	2037-26-5	80-125	98.4	

Jose Rocha
QA Officer

Report Date: 12/2/2010 Page 11 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.



ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-011A
Client Sample ID: MW-40
Collection Date: 11/22/2010 1316h Analyzed: 11/24/2010 2142h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.00104	
Ethylbenzene	100-41-4	0.00200	< 0.00200	
Naphthalene	91-20-3	0.00200	< 0.00200	
Toluene	108-88-3	0.00200	< 0.00200	
Xylenes, Total	1330-20-7	0.00200	< 0.00200	
TPH C6-C10 (GRO)		0.0200	0.0478	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	110	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	105	
Surr: Dibromofluoromethane	1868-53-7	80-124	101	
Surr: Toluene-d8	2037-26-5	80-125	98.0	

Jose Rocha
QA Officer



ORGANIC ANALYTICAL REPORT

**AMERICAN
WEST
ANALYTICAL
LABORATORIES**

463 West 3600 South
Salt Lake City, Utah
84115

(801) 263-8686
Toll Free (888) 263-8686
Fax (801) 263-8687

e-mail: awal@awal-labs.com

Kyle F. Gross
Laboratory Director

Client: Wasatch Environmental Contact: Les Pennington
Project: Gunnison Remediation / 1241-026A
Lab Sample ID: 1011451-012A
Client Sample ID: WS-2
Collection Date: 11/22/2010 1657h Analyzed: 11/24/2010 2201h
Received Date: 11/23/2010 0917h
Method Used: SW8260C

Analytical Results VOAs MBTEXN/GRO by GC/MS Method 8260C/5030C

Compound	CAS Number	Reporting Limit	Analytical Result	Qual
Benzene	71-43-2	0.00100	0.0164	
Ethylbenzene	100-41-4	0.00200	0.00831	
Naphthalene	91-20-3	0.00200	0.00254	
Toluene	108-88-3	0.00200	0.0153	
Xylenes, Total	1330-20-7	0.00200	0.0366	
TPH C6-C10 (GRO)		0.0200	0.243	
Surr: 1,2-Dichloroethane-d4	17060-07-0	77-144	111	
Surr: 4-Bromofluorobenzene	460-00-4	80-123	98.7	
Surr: Dibromofluoromethane	1868-53-7	80-124	101	
Surr: Toluene-d8	2037-26-5	80-125	98.1	

Jose Rocha
QA Officer

Report Date: 12/2/2010 Page 13 of 13

All analyses applicable to the CWA, SDWA, and RCRA are performed in accordance to NELAC protocols. Pertinent sampling information is located on the attached COC. This report is provided for the exclusive use of the addressee. Privileges of subsequent use of the name of this company or any member of its staff, or reproduction of this report in connection with the advertisement, promotion or sale of any product or process, or in connection with the re-publication of this report for any purpose other than for the addressee will be granted only on contact. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

American West Analytical Laboratories

WORK ORDER Summary

Client: Wasatch Environmental

Client ID: WAS580

Project: Gunnison Remediation / 1241-026A

Comments: PA Rush;

Contact: Les Pennington

QC Level: LEVEL I

Work Order: **1011451**

Page 1 of 1

11/23/2010

WO Type: Standard

HOKSPD HOK-JDB

Sample ID	Client Sample ID	Collected Date	Received Date	Date Due	Matrix	Test Code	Sel	Storage
1011451-001A	MW-5	11/22/2010 4:10:00 PM	11/23/2010 9:17:00 AM	12/6/2010	Aqueous	8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-002A	MW-20	11/22/2010 1:49:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-003A	MW-22	11/22/2010 2:45:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-004A	MW-23	11/22/2010 3:06:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-005A	MW-25	11/22/2010 3:24:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-006A	MW-26	11/22/2010 3:35:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-007A	MW-27	11/22/2010 3:45:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-008A	MW-29	11/22/2010 2:08:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-009A	MW-37	11/22/2010 12:55:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-010A	MW-39	11/22/2010 1:34:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-011A	MW-40	11/22/2010 1:16:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge
1011451-012A	WS-2	11/22/2010 4:57:00 PM		12/6/2010		8260-W-PPM	<input checked="" type="checkbox"/>	Purge

Client Wasatch Environmental, Inc.
 Address 2410 W California Ave
Salt Lake City, UT 84104
 City State Zip
 Phone 801-972-8400 Fax 801-972-8459



AMERICAN
WEST
ANALYTICAL
LABORATORIES
463 West 3600 South
Salt Lake City, Utah
84115
(801) 263-8686
(888) 263-8686
Fax (801) 263-8687
Email:awal@awal-labs.com

CHAIN OF CUSTODY

Lab Sample Set # 1011451

Page 1 of 1

Turn Around Time (Circle One)

1 day 2 day 3 day 4 day 5 day Standard

Contact Les Pennington

E-mail lp@wasatch-environmental.com

Project Name Gunnison Remediation

Project Number/P.O.# 1241-026A

Sampler Name Troy Smith

Sample ID	Date/Time Collected	Matrix	Number of Containers (Total)	TESTS REQUIRED				QC LEVEL	COMMENTS
				P	H	G	R		
MW-5	16:18	w	3	✓	✓				
MW-20	13:49	w	3	✓	✓				
MW-22	14:45	w	3	✓	✓				
MW-23	15:06	w	3	✓	✓				
MW-25	15:24	w	3	✓	✓				
MW-26	15:35	w	3	✓	✓				
MW-27	15:45	w	3	✓	✓				
MW-29	14:08	w	3	✓	✓				
MW-37	12:55	w	3	✓	✓				
MW-39	13:34	w	3	✓	✓				
MW-40	13:16	w	3	✓	✓				
MW-2	16:57	w	3	✓	✓				

Relinquished By: Signature <i>Troy Smith</i>	Date 11/23/10	Received By: Signature <i>Elma Hayes</i>	Date 11/23/10	Special Instructions:					
PRINT NAME Troy Smith	Time 9:17	PRINT NAME Elma Hayes	Time 9:17						
Relinquished By: Signature	Date	Received By: Signature	Date						
PRINT NAME	Time	PRINT NAME	Time						
Relinquished By: Signature	Date	Received By: Signature	Date						
PRINT NAME	Time	PRINT NAME	Time						
Relinquished By: Signature	Date	Received By: Signature	Date						
PRINT NAME	Time	PRINT NAME	Time						
Relinquished By: Signature	Date	Received By: Signature	Date						
PRINT NAME	Time	PRINT NAME	Time						

LABORATORY USE ONLY

SAMPLES WERE:

1 Shipped in Hand Delivered Notes:

2 Ambient or Chilled Notes:

3 Temperature 4.6

4 Received Broken/Leaking (Improperly Sealed) Y N Notes:

5 Properly Preserved Y N Checked at Bench Y N Notes:

6 Received Within Holding Times Y N Notes:

COC Tape Was:

1 Present on Outer Package Y N NA

2 Unbroken on Outer Package Y N NA

3 Present on Sample Y N NA

4 Unbroken on Sample Y N NA

Discrepancies Between Sample Labels and COC Record?

Y Notes: N